



ARTICULATING BOOMS



- **ELECTRIC BOOMS**
- **ELECTRIC ROUGH TERRAIN BOOMS**
- **DIESEL ROUGH TERRAIN BOOMS**



Building work



Maintenance & restoration



Logistic / Retail /
Industrial



Sporting & other events



Finishing



Landscaping



ARTICULATING BOOMS

Extremely flexible, articulating booms feature a boom arm with a pivot point giving them the ability to extend over obstacles to reach the most challenging work areas.

Electric articulating booms can work indoors and outdoors with no emissions. In addition, PULSEO models offer outstanding rough terrain capabilities for work on the most rugged terrains.



ELECTRIC ARTICULATING BOOMS



	HA12 CJ	HA12 CJ+	HA12 IP	SIGMA 16	SIGMA 16 PRO
Working height	11.68 m	11.68 m	12 m	16.1 m	15.7 m
Horizontal outreach	6.94 m	7.22 m	6.5 m	8.3 m	8 m
Up and over clearance	4.74 m	4.74 m	5.3 m	7.4 m	
Lift capacity - inside and outside	250 kg (2 pers.)	230 kg (2 pers.)	230 kg (2 pers.)	230 kg (2 pers.)	
Width	1.2 m	1.2 m	1.35 m	1.75 m	
Weight	7 065 kg	7 110 kg	5 900 kg	6 900 kg	6 950 kg
360° continuous rotation	-	-	-	-	
Oscillating axle	-	-	-	-	
4 wheel steer	-	-	-	-	
Jib 3D	-	✓	-	-	✓

- > ACCESS HARD-TO-REACH WORK AREAS
- > GO BEYOND OBSTACLES
- > WORK IN CONFINED AREAS





ARTICULATING BOOMS




Extremely flexible, articulating booms feature a boom arm with a pivot point giving them the ability to extend over obstacles to reach the most challenging work areas.

Electric articulating booms can work indoors and outdoors with no emissions. In addition, PULSEO models offer outstanding rough terrain capabilities for work on the most rugged terrains.



- > ACCESS HARD-TO-REACH WORK AREAS
- > GO BEYOND OBSTACLES
- > WORK IN CONFINED AREAS

ELECTRIC ROUGH TERRAIN ARTICULATING BOOMS

	 NEW	 NEW		
	HA16 E	HA16 E PRO	HA20 LE	HA20 LE PRO
Working height	16 m		20.3 m	20.4 m
Horizontal outreach	7.9 m		11.9 m	11.9 m
Up and over clearance	7.9 m		8.4 m	8.5 m
Lift capacity - inside and outside	300 kg (2 pers.)		250 kg (2 pers.) - option 350 kg	250 kg (2 pers.) - option 350 kg
Width	2.3 m		2.4 m	2.4 m
Weight	7 030 kg	7 120 kg	9 375 kg	9 785 kg
360° continuous rotation	-	Optional equipment	-	✓
Oscillating axle	-	✓	✓	✓
4 wheel steer	-	✓	-	✓
Jib 3D	-	-	-	-





Haulotte



ARTICULATING BOOMS

Extremely flexible, articulating booms feature a boom arm with a pivot point giving them the ability to extend over obstacles to reach the most challenging work areas. They can also operate in a smaller space than telescopic booms.

Diesel articulating booms operate on the roughest terrain thanks to their exceptional all-terrain capabilities. With proportional and simultaneous movements, they provide a high level of comfort and safety.



DIESEL ROUGH TERRAIN ARTICULATING BOOMS

	HA16			HA20		HA26 RTJ PRO	HA32 RTJ PRO	HA41 RTJ PRO
	RTJ	RTJ O	RTJ PRO	RTJ	RTJ PRO			
Working height	16 m			20.5 m		26.4 m	31.8 m	41.5 m
Horizontal outreach	8.3 m			11.9 m		17.5 m	21.6 m	20.1 m
Up and over clearance	7.65 m			8.51 m		9.3 m	11.35 m	17.5 m
Lift capacity inside and outside	230 kg (2 pers.)			250 kg (2 pers.)		250 kg (2 pers.) - option 350 kg	250 kg (2 pers.)	230 kg (2 pers.)
Width	2.3 m			2.43 m		2.48 m	2.53 m	2.53 m
Weight	6 095 kg	6 275 kg	6 540 kg	9 180 kg	9 430 kg	15 500 kg	20 100 kg	23 900 kg
360° continuous rotation	-	-	✓	-	✓	✓	✓	✓
Oscillating axle	-	✓	✓	-	✓	✓	✓	✓
4 wheel steer	-	-	✓	-	✓	✓	✓	✓

- > ACCESS HARD-TO-REACH WORK AREAS
- > GO BEYOND OBSTACLES
- > WORK IN CONFINED AREAS



